


ANTIDARK


Ballerina Pendant Small

Mount the canopy on the ceiling. **Remember!** It should be mounted securely.





The glass is handmade and will vary in weight and thickness, the contra weight can be moved to straighten the lamp when hanging.


Mount the top tube on the lamp



Mount the supply cable in the connecting box 230-240V 50/60 Hz.



Remember! Fasten the supply cable with the cable relief.



Max. 6W LED E14

Max. 40W E14

Max. 11W E14

Light source not included.

UK:

IMPORTANT! Always turn of the power, before starting installation of the lamp or changing the light source. In certain countries electric installations must be performed by a certified electrician, please contact relevant authorities to get information regarding this.

Max. wattage should never exceed the printed max. wattage on the rating label.

Class II: The lamp is constructed as a Class II lamp and do not require connection to GND.

IP20: The lamp can only be used indoor, in areas where it is not exposed to any water.


In case of technical changes, please keep the instruction manual .

Cleaning: The lamp can be cleaned with a damp cloth and a mild detergent




ANTIDARK

Ballerina Pendel Small




Glasset er håndlavet og vil variere i vægt og tykkelse, vægten kan flyttes for at stabilisere lampen så den hænger lige.



Monter baldakinen på loftet. **HUSK!** Den skal fastgøres forsvarligt.

Monter top røret på lampen

Forsyningskablet monteres i samle boksen 230-240V 50/60 Hz.



Max. 6W LED E14 Max. 40W E14 Max. 11W E14

Bemærk! Lyskilden ikke er inkl.

DK:

VIGTIGT! Sluk altid for strømmen, før installationen påbegyndes eller lyskilden udskiftes. I nogle lande må elektriske installationer kun udføres af en uddannet elektriker. Få oplysninger hos de relevante myndigheder

Den angivne max. wattage skal altid overholdes.

Klasse II: Lampen er dobbeltisoleret og kræver derfor ikke tilslutning til jordledning.

IP20: lampen må kun benyttes i områder hvor Den ikke kan udsættes for vand.


Der tages forbehold for tekniske ændringer gem venligst montagevejledningen.

Rengøring! Rengøres med vand tilsat en smule mildt rengøringsmiddel på en hårdt opvredet klud.




ANTIDARK

Ballerina Pendant Large




The glass is handmade and will vary in weight and thickness, the contra weight can be moved to straighten the lamp when hanging.




Mount the canopy on the ceiling. **Remember!** It should be mounted securely.



Mount the top tube on the lamp



Mount the supply cable in the connecting box 230-240V 50/60 Hz.




Remember! Fasten the supply cable with the cable relief.



Max. 15W LED E27



Max. 60W E27



Max. 21W E27

Light source not included.

UK:

IMPORTANT! Always turn of the power, before starting installation of the lamp or changing the light source. In certain countries electric installations must be performed by a certified electrician, please contact relevant authorities to get information regarding this.

Max. wattage should never exceed the printed max. wattage on the rating label.

Class II: The lamp is constructed as a Class II lamp and do not require connection to GND.

IP20: The lamp can only be used indoor, in areas where it is not exposed to any water.


In case of technical changes, please keep the instruction manual .

Cleaning: The lamp can be cleaned with a damp cloth and a mild detergent




ANTIDARK

Ballerina Pendel Large




Glasset er håndlavet og vil variere i vægt og tykkelse, vægten kan flyttes for at stabilisere lampen så den hænger lige.



Monter baldakinen på loftet. **HUSK!** Den skal fastgøres forsvarligt.

Monter top røret på lampen

Forsyningskablet monteres i samle boksen 230-240V 50/60 Hz.



Max. 15W LED E27 Max. 60W E27 Max. 21W E27

Bemærk! Lyskilden ikke er inkl.

DK:

VIGTIGT! Sluk altid for strømmen, før installationen påbegyndes eller lyskilden udskiftes. I nogle lande må elektriske installationer kun udføres af en uddannet elektriker. Få oplysninger hos de relevante myndigheder

Den angivne max. wattage skal altid overholdes.

Klasse II: Lampen er dobbeltisoleret og kræver derfor ikke tilslutning til jordledning.

IP20: lampen må kun benyttes i områder hvor Den ikke kan udsættes for vand.

Der tages forbehold for tekniske ændringer gem venligst montagevejledningen.

Rengøring! Rengøres med vand tilsat en smule mildt rengøringsmiddel på en hårdt opvredet klud.

