


Spectrum Test Report



Colorimetric Parameters

Chromaticity Coordinate: x=0.4620 y=0.4192/u'=0.2601 v'=0.5309

CCT=2736K(Duv=0.0030) Dominant WL:Ld =583.1nm Purity=64.5%

Peak WL:Lp=633.3nm FWHM=161.6nm

Render Index:Ra=97.0

R1 =98	R2 =98	R3 =96	R4 =98	R5 =97	R6 =98	R7 =98		
R8 =94	R9 =84	R10=93	R11=99	R12=84	R13=98	R14=96	R15=95	

Photometric & Radiometric Parameters

Flux=683.8 lm Eff.:96.37 lm/W Fe=2.587 W

Electrical parameters

V = 229.9 V I = 0.04414 A P = 7.095 W PF = 0.6991


Status: Integral T = 80 ms Ip = 50466 (77%)

Test Mode: Fast Test; Sensitivity = High; Tecool: ON

Model:
Test By:
Temperature:25Deg
Manufacturer:
Assessor:damin

Number:1
Date:2024-01-13
Humidity:65.0%
Remarks:

Spectrum Test Report



Colorimetric Parameters

Chromaticity Coordinate: x=0.4609 y=0.4179/u'=0.2599 v'=0.5302

CCT=2742K(Duv=0.0026) Dominant WL:Ld =583.2nm Purity=63.8%

Peak WL:Lp=635.6nm FWHM=161.5nm

Render Index: Ra=97.3

R1 =98	R2 =98	R3 =96	R4 =98	R5 =97	R6 =98	R7 =97		
R8 =94	R9 =85	R10=94	R11=99	R12=84	R13=98	R14=97	R15=96	

Photometric & Radiometric Parameters

Flux=683.4 lm Eff.:96.10 lm/W Fe=2.591 W

Electrical parameters

V = 229.9 V I = 0.04397 A P = 7.111 W PF = 0.7035


Status: Integral T = 80 ms Ip = 50453 (77%)

Test Mode: Fast Test; Sensitivity = High; Tecool: ON

Model:
Test By:
Temperature:25Deg
Manufacturer:
Assessor:damin

Number:2
Date:2024-01-13
Humidity:65.0%
Remarks:

Spectrum Test Report



Colorimetric Parameters

Chromaticity Coordinate: $x=0.4625$ $y=0.4184$ / $u'=0.2607$ $v'=0.5307$

CCT=2724K (Duv=0.0026) Dominant WL:Ld =583.3nm Purity=64.4%

Peak WL:Lp=635.2nm FWHM=160.4nm

Render Index:Ra=97.2

R1 =98	R2 =98	R3 =96	R4 =98	R5 =97	R6 =98	R7 =97		
R8 =94	R9 =84	R10=94	R11=99	R12=85	R13=98	R14=97	R15=95	

Photometric & Radiometric Parameters

Flux=691.0 lm Eff.:96.55 lm/W Fe=2.623 W

Electrical parameters

V = 229.9 V I = 0.04433 A P = 7.157 W PF = 0.7023


Status: Integral T = 80 ms Ip = 51269 (78%)

Test Mode: Fast Test; Sensitivity = High; Tecool: ON

Model:
Test By:
Temperature:25Deg
Manufacturer:
Assessor:damin

Number:3
Date:2024-01-13
Humidity:65.0%
Remarks:

Spectrum Test Report



Colorimetric Parameters

Chromaticity Coordinate:x=0.4620 y=0.4186/u'=0.2604 v'=0.5307

CCT=2731K(Duv=0.0027) Dominant WL:Ld =583.2nm Purity=64.3%

Peak WL:Lp=634.8nm FWHM=160.9nm

Render Index:Ra=97.2

R1 =98	R2 =98	R3 =96	R4 =98	R5 =97	R6 =98	R7 =97		
R8 =94	R9 =84	R10=94	R11=99	R12=84	R13=98	R14=97	R15=95	

Photometric & Radiometric Parameters

Flux=681.3 lm Eff.:96.80 lm/W Fe=2.585 W

Electrical parameters

V = 229.9 V I = 0.04362 A P = 7.038 W PF = 0.7019


Status: Integral T = 80 ms Ip = 50480 (77%)

Test Mode: Fast Test; Sensitivity = High; Tecool: ON

Model:
Test By:
Temperature:25Deg
Manufacturer:
Assessor:damin

Number:4
Date:2024-01-13
Humidity:65.0%
Remarks:

Spectrum Test Report



Colorimetric Parameters

Chromaticity Coordinate: $x=0.4616$ $y=0.4185$ $u'=0.2601$ $v'=0.5306$

CCT=2737K(Duv=0.0028) Dominant WL:Ld =583.2nm Purity=64.2%

Peak WL:Lp=633.6nm FWHM=161.8nm

Render Index:Ra=97.2

R1 =98	R2 =98	R3 =96	R4 =98	R5 =97	R6 =98	R7 =97		
R8 =94	R9 =84	R10=94	R11=99	R12=84	R13=98	R14=97	R15=95	

Photometric & Radiometric Parameters

Flux=692.0 lm Eff.:96.47 lm/W Fe=2.622 W

Electrical parameters

V = 229.9 V I = 0.04440 A P = 7.174 W PF = 0.7028

Status: Integral T = 80 ms Ip = 51060 (78%)

Test Mode: Fast Test; Sensitivity = High; Tecool: ON

Model:
Test By:
Temperature:25Deg
Manufacturer:
Assessor:damin

Number:5
Date:2024-01-13
Humidity:65.0%
Remarks: